


A

B

C

D

E




## NOTE:

1. Material: Grade - N40.
2. Finish: Zn coated.
3. Remove all sharp corners.
4. Delivery magnetized.

## MAGNETIC CHARACTERISTICS:

		CGS	SI
Br	MIN	12.6 kG	1.26 T
	MAX	12.9 kG	1.29 T
bHc	MIN	11.0 kOe	876 kA/m
jHc	MIN	12.0 kOe	955 kA/m
BHmax	MIN	38.1 MGOe	303 kJ/m <sup>3</sup>
	MAX	40.0 MGOe	318 kJ/m <sup>3</sup>

Working Temperature 80° max.

ASSEMBLY		NAME			SHEET 1		OF 1	
DWG.NO NDDR006006BMD		MAGNET NDDR006006B			NAME		DATE	
		General Shape-and Position tolerance according DIN ISO 2768-mK		MATERIAL	NdFeB	DESIGNED	Igor	21/05/2015
		Surface Finish: $\sqrt{3.2}$		MASS	1.42(gr)	DRAWN	Igor	21/05/2015
		Control characteristics: - Important $\sqrt{3.2}$ - Critical $\sqrt{3.2}$		SCALE	5:1	APPROVED	Rashid	21/05/2015

F